



MATERIAL DESCRIPTION/DESCRIPCIÓN DE MATERIAL/DESCRIPTION DU MATÉRIEL

No.	Item Artículo Article	Material Material Matériel
1	Pump Case Cuerpoa Boîtier	SS304 Inox 304 Inox 304
2	Delivery Entrega Livraison	Cast-Cu/SS304 Cast-Cu/Inox 304 Cast-Cu/Inox 304
3	Suction Succión Aspiration	Cast-Cu/SS304 Cast-Cu/Inox 304 Cast-Cu/Inox 304
4	Diffuser Difusor Diffuseur	Plastic Plástico Plastique
5	Impeller Impulsor Roue	Plastic Plástico Plastique
6	Pump Shaft Bomba Eje Pompe Arbre	SS304 Inox 304 Inox 304
7	Motor Case Cuerpoa Boîtier	SS304 Inox 304 Inox 304
8	Top chock Calzo superior Cale supérieure	Cast-Cu/SS420/Cast iron Cast-Cu/Inox 420/Fundición Cast-Cu/Inox 420/Fonte
9	Bottom support Soporte inferior Appui inférieur	SS304 Inox 304 Inox 304
10	Mechanical Seal Cierre Mecánico Garniture mécanique	Ceramic-Carbon Cerámico-Grafito Céramique-Carbon
11	Motor Shaft Motor Eje Motor Arbre	SS304 Inox 304 Inox 304

MODEL CODE/CÓDIGO MODELO/CODE MODÈLE

For example/Por ejemplo/Par exemple

3 SD (M) 2 / 8

8=Stage/Etapa/Étape

2=Rated flow(m3/h)
Caudal nominal(m3/h)
Débit nominal(m3/h)

M=1 phase/Monofásico/Monophasé
Blank=3 phase/Trifásico/Triphasé

SD=Deep well pump
Bomba de pozo profundo
Pompe de puits profond

3=Well size(inch)
Tamaño de pozo(inch)
Taille du puits(inch)



TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

60 Hz n≈3500 l/min

MODEL MODELO MODÈLE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT												
					GPM 0	1.3	2.6	3.1	4.0	5.3	6.6	7.9	8.8	9.3	10.6	11.9	13.2
					l/min 0	5	10	12	15	20	25	30	33	35	40	45	50
					m³/h 0	0.3	0.6	0.7	0.9	1.2	1.5	1.8	2	2.1	2.4	2.7	3
1-ph	3-ph	inch	kw	hp	H=Head/Altura/Hauteur(m)												
2SDM0.7/19	-	0.5"/0.75"	0.18	0.25	37	31	27	25	19.5	9	-	-	-	-	-	-	-
2SDM0.7/23	-	0.5"/0.75"	0.25	0.33	44	38	33	30	23.5	11	-	-	-	-	-	-	-
2SDM0.7/27	-	0.5"/0.75"	0.37	0.5	52	44.5	39	36	27.5	13	-	-	-	-	-	-	-
2.5SDM2/8	-	1"	0.18	0.25	32	31	30	29	28	26	23	21	19	18	14	9	4
2.5SDM2/11	-	1"	0.25	0.33	45	43	41	40	38	35	32	29	26	25	19	12	5
2.5SDM2/16	-	1"	0.37	0.5	65	62	59	58	55	51	46	41	38	36	28	18	8
2.5SDM2/22	-	1"	0.55	0.75	89	86	82	80	75	70	64	57	52	49	39	24	10

MODEL MODELO MODÈLE	DN	Power Potencia Puissance	Q=DELIVERY/CAUDAL/DÉBIT														
			GPM 0	1.3	2.6	5.3	7.9	8.8	10.6	13.2	15.9	17.6	18.5	21.1	23.8	26.4	29.1
			l/min 0	5	10	20	30	33	40	50	60	67	70	80	90	100	110
			m³/h 0	0.3	0.6	1.2	1.8	2	2.4	3	3.6	4	4.2	4.8	5.4	6	6.6
1-ph	3-ph	inch	kw	hp	H=Head/Altura/Hauteur(m)												
3SDM2/6	3SD2/6	1"/1.2"	0.25	0.33	38	37	37	36	33	32	28	20	11	-	-	-	-
3SDM2/9	3SD2/9	1"/1.2"	0.37	0.5	56	56	56	54	49	47	41	30	16	-	-	-	-
3SDM2/13	3SD2/13	1"/1.2"	0.55	0.75	81	81	81	78	71	68	60	44	24	-	-	-	-
3SDM2/17	3SD2/17	1"/1.2"	0.75	1	107	106	105	102	93	89	78	57	31	-	-	-	-
3SDM2/21	3SD2/21	1"/1.2"	0.92	1.25	132	131	130	126	115	110	97	71	38	-	-	-	-
3SDM2/25	3SD2/25	1"/1.2"	1.1	1.5	157	156	155	150	137	130	115	84	46	-	-	-	-
3SDM2/28	3SD2/28	1"/1.2"	1.5	2	175	175	174	168	154	147	129	94	51	-	-	-	-
3SDM2/30	3SD2/30	1"/1.2"	1.5	2	188	187	186	180	165	157	138	101	55	-	-	-	-
3SDM3/5	3SD3/5	1"/1.2"/1.5"	0.25	0.33	29	-	29	28	27	26	25	23	18	15	13	-	-
3SDM3/8	3SD3/8	1"/1.2"/1.5"	0.37	0.5	47	-	46	45	43	42	39	36	29	23	20	-	-
3SDM3/11	3SD3/11	1"/1.2"/1.5"	0.55	0.75	64	-	63	61	59	57	54	50	40	32	28	-	-
3SDM3/14	3SD3/14	1"/1.2"/1.5"	0.75	1	82	-	81	78	75	73	69	63	51	40	35	-	-
3SDM3/18	3SD3/18	1"/1.2"/1.5"	0.92	1.25	105	-	104	100	97	94	88	81	65	52	45	-	-
3SDM3/21	3SD3/21	1"/1.2"/1.5"	1.1	1.5	123	-	121	117	113	110	103	95	76	61	53	-	-
3SDM3/23	3SD3/23	1"/1.2"/1.5"	1.5	2	135	-	133	128	124	120	113	104	83	66	58	-	-
3SDM3/25	3SD3/25	1"/1.2"/1.5"	1.5	2	146	-	144	139	135	131	123	113	90	72	63	-	-
3SDM4/4	3SD4/4	1.2"/1.5"	0.25	0.33	24	-	24	23	23	23	23	22	20	19	19	16	14
3SDM4/6	3SD4/6	1.2"/1.5"	0.37	0.5	36	-	35	35	35	35	34	32	31	29	28	25	21
3SDM4/8	3SD4/8	1.2"/1.5"	0.55	0.75	48	-	47	47	46	46	45	43	41	38	37	33	28
3SDM4/10	3SD4/10	1.2"/1.5"	0.75	1	59	-	59	58	58	58	57	54	51	48	47	41	35
3SDM4/13	3SD4/13	1.2"/1.5"	0.92	1.25	77	-	77	76	75	75	74	70	66	63	61	53	46
3SDM4/15	3SD4/15	1.2"/1.5"	1.1	1.5	89	-	88	88	87	86	85	81	77	72	70	62	53
3SDM4/18	3SD4/18	1.2"/1.5"	1.5	2	107	-	106	105	104	103	102	97	92	87	84	74	63
3.5SDM2/5	3.5SD2/5	1.2"/1.5"	0.25	0.33	43	-	42	41	39	37	34	27	17	-	-	-	-
3.5SDM2/7	3.5SD2/7	1.2"/1.5"	0.37	0.5	60	-	59	58	55	53	48	38	24	-	-	-	-
3.5SDM2/10	3.5SD2/10	1.2"/1.5"	0.55	0.75	86	-	85	83	78	75	68	54	34	-	-	-	-
3.5SDM2/13	3.5SD2/13	1.2"/1.5"	0.75	1	111	-	110	108	102	97	88	71	44	-	-	-	-
3.5SDM2/16	3.5SD2/16	1.2"/1.5"	0.92	1.25	137	-	136	132	125	120	109	87	54	-	-	-	-
3.5SDM2/19	3.5SD2/19	1.2"/1.5"	1.1	1.5	163	-	161	157	149	142	129	103	64	-	-	-	-
3.5SDM2/22	3.5SD2/22	1.2"/1.5"	1.3	1.75	188	-	187	182	172	165	150	120	74	-	-	-	-
3.5SDM2/25	3.5SD2/25	1.2"/1.5"	1.5	2	214	-	212	207	196	187	170	136	84	-	-	-	-



TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

60 Hz n≈3500 l/min

MODEL MODELO MODÈLE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT											
					GPM 0	2.6	4.0	7.9	11.9	15.9	17.6	19.8	23.8	26.4	27.8	31.7
					l/min 0	10	15	30	45	60	67	75	90	100	105	120
1-ph	3-ph	inch	kw	hp	m³/h 0	0.6	0.9	1.8	2.7	3.6	4	4.5	5.4	6	6.3	7.2
H=Head/Altura/Hauteur(m)																
3.5SDM4/3	3.5SD4/3	1.2"/1.5"	0.25	0.33	25	25	25	24	23	19	17	15	9	-	-	-
3.5SDM4/4	3.5SD4/4	1.2"/1.5"	0.37	0.5	34	33	33	32	30	26	23	20	12	-	-	-
3.5SDM4/6	3.5SD4/6	1.2"/1.5"	0.55	0.75	51	50	50	49	46	39	35	30	18	-	-	-
3.5SDM4/8	3.5SD4/8	1.2"/1.5"	0.75	1	68	67	67	65	61	52	47	39	24	-	-	-
3.5SDM4/10	3.5SD4/10	1.2"/1.5"	0.92	1.25	84	83	83	81	76	64	57	49	29	-	-	-
3.5SDM4/12	3.5SD4/12	1.2"/1.5"	1.1	1.5	101	100	100	98	91	77	69	58	35	-	-	-
3.5SDM4/14	3.5SD4/14	1.2"/1.5"	1.3	1.75	118	116	116	114	106	90	81	68	41	-	-	-
3.5SDM4/16	3.5SD4/16	1.2"/1.5"	1.5	2	135	133	133	130	121	103	92	78	47	-	-	-
3.5SDM6/3	3.5SD6/3	1.5"	0.37	0.5	25	-	25	24	23	22	21	19	16	13	11	6
3.5SDM6/4	3.5SD6/4	1.5"	0.55	0.75	34	-	33	32	31	29	27	25	21	17	15	8
3.5SDM6/6	3.5SD6/6	1.5"	0.75	1	51	-	50	48	47	43	41	38	31	25	22	12
3.5SDM6/8	3.5SD6/8	1.5"	0.92	1.25	67	-	66	65	62	58	55	51	42	34	30	16
3.5SDM6/10	3.5SD6/10	1.5"	1.1	1.5	84	-	83	81	78	72	68	64	52	42	37	20
3.5SDM6/12	3.5SD6/12	1.5"	1.3	1.75	101	-	99	97	93	87	82	76	63	51	45	24
3.5SDM6/14	3.5SD6/14	1.5"	1.5	2	118	-	116	113	109	101	96	89	73	59	52	28

60 Hz n≈3500 l/min

MODEL MODELO MODÈLE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT												
					GPM 0	1.3	2.6	5.3	7.9	8.8	10.6	11.9	13.2	15.9	18.5	21.1	
					l/min 0	5	10	20	30	33	40	45	50	60	70	80	
1-ph	3-ph	inch	kw	hp	m³/h 0	0.3	0.6	1.2	1.8	2	2.4	2.7	3	3.6	4.2	4.8	
4SDM2/6	4SD2/6	1.2"/1.5"	0.37	0.5	63	61	60	56	48	45	38	32	25	11	-	-	
4SDM2/8	4SD2/8	1.2"/1.5"	0.55	0.75	83	82	80	74	64	60	51	43	34	15	-	-	
4SDM2/11	4SD2/11	1.2"/1.5"	0.75	1	115	113	110	102	88	83	70	59	47	20	-	-	
4SDM2/13	4SD2/13	1.2"/1.5"	0.92	1.25	136	133	130	120	104	97	82	69	55	24	-	-	
4SDM2/15	4SD2/15	1.2"/1.5"	1.1	1.5	157	154	150	139	120	113	95	80	64	27	-	-	
4SDM2/18	4SD2/18	1.2"/1.5"	1.3	1.75	188	184	180	167	144	135	114	96	76	33	-	-	
4SDM2/20	4SD2/20	1.2"/1.5"	1.5	2	209	205	200	185	160	150	127	107	85	37	-	-	
4SDM2/24	4SD2/24	1.2"/1.5"	1.8	2.5	250	246	240	222	192	180	152	128	102	44	-	-	
4SDM2/28	4SD2/28	1.2"/1.5"	2.2	3	292	287	280	259	224	210	177	149	119	51	-	-	
-	4SD2/33	1.2"/1.5"	2.6	3.5	344	338	330	306	264	248	209	176	140	60	-	-	
-	4SD2/37	1.2"/1.5"	3	4	386	379	370	343	296	278	234	197	157	68	-	-	
-	4SD2/41	1.2"/1.5"	3.7	5	428	420	410	380	328	308	259	218	174	75	-	-	
-	4SD2/46	1.2"/1.5"	4	5.5	480	471	460	426	368	345	291	245	195	84	-	-	
4SDM3/5	4SD3/5	1.2"/1.5"	0.37	0.5	52	-	51	51	48	46	43	41	38	30	23	12	
4SDM3/7	4SD3/7	1.2"/1.5"	0.55	0.75	72	-	72	71	67	65	61	57	53	42	32	17	
4SDM3/9	4SD3/9	1.2"/1.5"	0.75	1	93	-	92	91	86	83	78	73	68	54	41	22	
4SDM3/11	4SD3/11	1.2"/1.5"	0.92	1.25	114	-	113	112	105	102	95	89	83	66	50	27	
4SDM3/13	4SD3/13	1.2"/1.5"	1.1	1.5	135	-	133	132	124	120	112	105	98	78	59	32	
4SDM3/15	4SD3/15	1.2"/1.5"	1.3	1.75	155	-	154	152	143	139	130	122	113	90	68	37	
4SDM3/17	4SD3/17	1.2"/1.5"	1.5	2	176	-	174	173	162	157	147	138	128	102	76	42	
4SDM3/20	4SD3/20	1.2"/1.5"	1.8	2.5	207	-	205	203	191	185	173	162	151	120	90	49	
4SDM3/24	4SD3/24	1.2"/1.5"	2.2	3	248	-	246	244	229	222	208	195	181	144	108	59	
-	4SD3/28	1.2"/1.5"	2.6	3.5	290	-	287	284	267	259	242	227	211	168	126	69	
-	4SD3/32	1.2"/1.5"	3	4	331	-	328	325	306	296	277	260	242	192	144	78	
-	4SD3/36	1.2"/1.5"	3.7	5	373	-	369	365	344	333	311	292	272	216	162	88	
-	4SD3/40	1.2"/1.5"	4	5.5	414	-	410	406	382	370	346	324	302	240	180	98	



TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

60 Hz n≈3500 l/min

MODEL MODELO MODÈLE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT													
					GPM 0	2.6	5.3	7.9	10.6	15.9	17.6	21.1	22.0	26.4	30.8	31.7	37.0	42.3
					l/min 0	10	20	30	40	60	67	80	83	100	117	120	140	160
1-ph	3-ph	inch	kw	hp	m³/h 0	0.6	1.2	1.8	2.4	3.6	4	4.8	5	6	7	7.2	8.4	9.6
4SDM4/4	4SD4/4	1.2"/1.5"	0.37	0.5	42	42	40	40	38	32	29	23	21	11	-	-	-	-
4SDM4/5	4SD4/5	1.2"/1.5"	0.55	0.75	53	52	51	50	48	39	36	28	26	13	-	-	-	-
4SDM4/7	4SD4/7	1.2"/1.5"	0.75	1	74	73	71	70	67	55	50	40	37	19	-	-	-	-
4SDM4/10	4SD4/10	1.2"/1.5"	1.1	1.5	106	104	101	100	96	79	72	57	52	27	-	-	-	-
4SDM4/13	4SD4/13	1.2"/1.5"	1.5	2	137	136	131	130	124	103	94	74	68	35	-	-	-	-
4SDM4/15	4SD4/15	1.2"/1.5"	1.8	2.5	158	157	152	150	143	118	108	85	78	40	-	-	-	-
4SDM4/18	4SD4/18	1.2"/1.5"	2.2	3	190	188	182	180	172	142	130	102	93	48	-	-	-	-
-	4SD4/21	1.2"/1.5"	2.6	3.5	222	219	212	210	201	166	152	119	109	56	-	-	-	-
-	4SD4/24	1.2"/1.5"	3	4	253	251	243	240	229	189	173	136	124	64	-	-	-	-
-	4SD4/28	1.2"/1.5"	3.7	5	296	292	283	280	268	221	202	159	145	75	-	-	-	-
-	4SD4/31	1.2"/1.5"	4	5.5	327	324	313	310	296	245	224	176	161	83	-	-	-	-
-	4SD4/35	1.2"/1.5"	5	7	369	366	354	350	334	276	253	198	181	93	-	-	-	-
-	4SD4/39	1.2"/1.5"	5.5	7.5	412	407	394	390	373	308	282	221	202	104	-	-	-	-
4SDM5/3	4SD5/3	1.2"/1.5"/2"	0.37	0.5	32	-	30	29	28	26	25	21	20	15	10	9	-	-
4SDM5/4	4SD5/4	1.2"/1.5"/2"	0.55	0.75	42	-	40	39	38	35	33	28	27	21	14	12	-	-
4SDM5/6	4SD5/6	1.2"/1.5"/2"	0.75	1	63	-	59	58	57	52	49	43	41	31	20	18	-	-
4SDM5/8	4SD5/8	1.2"/1.5"/2"	1.1	1.5	84	-	79	78	76	70	66	56	54	42	27	24	-	-
4SDM5/11	4SD5/11	1.2"/1.5"/2"	1.5	2	116	-	109	107	104	96	90	78	75	57	38	34	-	-
4SDM5/13	4SD5/13	1.2"/1.5"/2"	1.8	2.5	137	-	129	126	123	113	106	92	88	67	45	40	-	-
4SDM5/16	4SD5/16	1.2"/1.5"/2"	2.2	3	168	-	158	155	152	139	131	113	108	83	55	49	-	-
-	4SD5/19	1.2"/1.5"/2"	2.6	3.5	200	-	188	185	181	166	156	135	129	99	65	58	-	-
-	4SD5/22	1.2"/1.5"/2"	3	4	231	-	218	214	209	192	180	155	148	114	75	67	-	-
-	4SD5/25	1.2"/1.5"/2"	3.7	5	263	-	248	243	238	218	205	177	169	130	85	76	-	-
-	4SD5/28	1.2"/1.5"/2"	4	5.5	294	-	277	272	266	244	229	197	189	145	96	86	-	-
-	4SD5/31	1.2"/1.5"/2"	5	7	326	-	307	301	294	270	254	219	209	161	106	95	-	-
-	4SD5/35	1.2"/1.5"/2"	5.5	7.5	368	-	347	340	333	305	286	247	236	182	120	107	-	-
4SDM7/3	4SD7/3	1.2"/1.5"/2"	0.55	0.75	30	-	30	30	29	28	27	26	26	23	21	20	15	10
4SDM7/4	4SD7/4	1.2"/1.5"/2"	0.75	1	41	-	40	40	39	37	36	35	34	31	27	26	20	14
4SDM7/5	4SD7/5	1.2"/1.5"/2"	0.92	1.25	51	-	50	49	48	46	45	43	42	39	34	33	25	17
4SDM7/6	4SD7/6	1.2"/1.5"/2"	1.1	1.5	61	-	60	59	58	56	55	52	51	47	40	39	30	20
4SDM7/7	4SD7/7	1.2"/1.5"/2"	1.3	1.75	71	-	70	69	67	65	63	60	59	54	47	46	35	24
4SDM7/9	4SD7/9	1.2"/1.5"/2"	1.5	2	91	-	90	89	87	83	81	78	77	70	61	59	45	30
4SDM7/11	4SD7/11	1.2"/1.5"/2"	1.8	2.5	111	-	110	108	106	102	100	95	93	85	74	72	55	37
4SDM7/13	4SD7/13	1.2"/1.5"/2"	2.2	3	132	-	130	128	125	120	117	112	110	101	88	85	65	44
-	4SD7/15	1.2"/1.5"/2"	2.6	3.5	152	-	150	147	144	139	136	129	127	116	101	98	75	51
-	4SD7/17	1.2"/1.5"/2"	3	4	172	-	170	167	164	157	154	147	145	132	115	111	85	57
-	4SD7/19	1.2"/1.5"/2"	3.7	5	192	-	190	187	183	176	172	164	161	147	128	124	95	64
-	4SD7/22	1.2"/1.5"/2"	4	5.5	223	-	220	216	212	204	199	190	187	171	148	143	110	74
-	4SD7/25	1.2"/1.5"/2"	5	7	253	-	250	246	241	231	226	216	212	194	168	163	125	84
-	4SD7/28	1.2"/1.5"/2"	5.5	7.5	284	-	280	275	270	259	253	242	238	217	188	182	140	95
-	4SD7/31	1.2"/1.5"/2"	7	10	314	-	310	304	298	287	280	267	263	240	208	202	155	105
-	4SD7/34	1.2"/1.5"/2"	7.5	10	344	-	340	334	327	315	308	293	288	264	228	221	170	115



TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

60 Hz n≈3500 l/min

MODEL MODELO MODÈLE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT																	
					GPM 0	5.3	10.6	15.9	21.1	26.4	31.7	39.6	48.5	52.9	58.1	61.7	71.4	79.3	84.6	92.5	105.7	118.9
					l/min 0	20	40	60	80	100	120	150	183	200	220	233	270	300	320	350	400	450
					m³/h 0	1.2	2.4	3.6	4.8	6	7.2	9	11	12	13.2	14	16.2	18	19.2	21	24	27
1-ph	3-ph	inch	kw	hp	H=Head/Altura/Hauteur(m)																	
4SDM9/3	4SD9/3	1.2"/1.5"/2"	0.75	1	29	29	27	25	24	23	22	19	12	9	4	-	-	-	-	-	-	-
4SDM9/4	4SD9/4	1.2"/1.5"/2"	0.92	1.25	39	38	36	34	32	31	29	24	17	12	6	-	-	-	-	-	-	-
4SDM9/5	4SD9/5	1.2"/1.5"/2"	1.1	1.5	49	48	45	42	40	39	36	31	21	15	7	-	-	-	-	-	-	-
4SDM9/6	4SD9/6	1.2"/1.5"/2"	1.3	1.75	58	58	54	51	48	46	44	37	25	18	9	-	-	-	-	-	-	-
4SDM9/7	4SD9/7	1.2"/1.5"/2"	1.5	2	68	67	64	59	57	54	51	43	30	22	10	-	-	-	-	-	-	-
4SDM9/9	4SD9/9	1.2"/1.5"/2"	1.8	2.5	87	86	82	76	73	69	66	55	38	28	13	-	-	-	-	-	-	-
4SDM9/11	4SD9/11	1.2"/1.5"/2"	2.2	3	107	106	100	93	89	85	80	67	46	34	16	-	-	-	-	-	-	-
-	4SD9/12	1.2"/1.5"/2"	2.6	3.5	116	115	109	102	97	92	88	73	50	37	18	-	-	-	-	-	-	-
-	4SD9/14	1.2"/1.5"/2"	3	4	136	134	127	119	113	108	102	85	59	43	21	-	-	-	-	-	-	-
-	4SD9/16	1.2"/1.5"/2"	3.7	5	155	153	145	136	129	123	117	97	67	49	24	-	-	-	-	-	-	-
-	4SD9/18	1.2"/1.5"/2"	4	5.5	175	173	163	153	145	139	131	109	75	55	27	-	-	-	-	-	-	-
-	4SD9/20	1.2"/1.5"/2"	5	7	194	192	181	170	161	154	146	121	84	61	30	-	-	-	-	-	-	-
-	4SD9/22	1.2"/1.5"/2"	5.5	7.5	213	211	200	187	178	169	161	133	92	68	33	-	-	-	-	-	-	-
-	4SD9/25	1.2"/1.5"/2"	7	10	243	240	227	212	202	193	182	152	105	77	37	-	-	-	-	-	-	-
-	4SD9/27	1.2"/1.5"/2"	7.5	10	262	259	245	229	218	208	197	164	113	83	40	-	-	-	-	-	-	-
4SDM11/3	4SD11/3	2"	0.92	1.25	29	-	-	26	25	25	24	23	20	18	15	13	6	-	-	-	-	-
4SDM11/4	4SD11/4	2"	1.1	1.5	38	-	-	35	34	33	32	31	26	24	20	17	8	-	-	-	-	-
4SDM11/5	4SD11/5	2"	1.5	2	48	-	-	44	42	41	40	38	33	30	25	22	10	-	-	-	-	-
4SDM11/6	4SD11/6	2"	1.8	2.5	57	-	-	53	51	50	48	46	40	36	30	26	12	-	-	-	-	-
4SDM11/7	4SD11/7	2"	2.2	3	67	-	-	62	59	58	56	53	47	42	35	30	14	-	-	-	-	-
4SDM11/8	4SD11/8	2"	2.2	3	76	-	-	71	68	66	64	61	54	48	40	35	16	-	-	-	-	-
-	4SD11/9	2"	2.6	3.5	86	-	-	79	76	74	72	69	60	54	45	39	18	-	-	-	-	-
-	4SD11/10	2"	3	4	95	-	-	88	85	83	80	76	67	60	50	43	20	-	-	-	-	-
-	4SD11/11	2"	3.7	5	105	-	-	97	93	91	88	84	73	66	55	48	22	-	-	-	-	-
-	4SD11/13	2"	4	5.5	124	-	-	115	110	107	104	99	87	78	66	57	26	-	-	-	-	-
-	4SD11/15	2"	5	7	143	-	-	132	127	124	120	115	100	90	76	66	30	-	-	-	-	-
-	4SD11/17	2"	5.5	7.5	162	-	-	150	144	140	136	130	114	102	86	75	34	-	-	-	-	-
-	4SD11/20	2"	7	10	190	-	-	176	169	165	160	153	133	120	101	88	40	-	-	-	-	-
-	4SD11/22	2"	7.5	10	209	-	-	194	186	181	176	168	147	132	111	96	44	-	-	-	-	-
4SDM14/3	4SD14/3	2"	1.1	1.5	27	-	-	-	24	23	22	21	19	18	17	16	13	11	9	-	-	-
4SDM14/4	4SD14/4	2"	1.5	2	36	-	-	-	32	31	30	28	25	24	23	22	17	14	12	-	-	-
4SDM14/5	4SD14/5	2"	1.8	2.5	45	-	-	-	40	39	37	35	32	30	28	27	22	17	14	-	-	-
4SDM14/6	4SD14/6	2"	2.2	3	54	-	-	-	49	47	45	42	38	36	34	32	27	21	17	-	-	-
4SDM14/7	4SD14/7	2"	2.2	3	63	-	-	-	57	55	52	48	44	42	39	37	31	24	20	-	-	-
-	4SD14/8	2"	2.6	3.5	72	-	-	-	65	63	60	56	51	48	45	42	35	28	23	-	-	-
-	4SD14/9	2"	3	4	81	-	-	-	73	70	67	63	57	54	50	47	39	31	26	-	-	-
-	4SD14/10	2"	3.7	5	90	-	-	-	81	78	74	69	63	60	56	53	44	35	29	-	-	-
-	4SD14/12	2"	4	5.5	109	-	-	-	97	93	89	83	76	73	68	64	52	42	35	-	-	-
-	4SD14/14	2"	5	7	127	-	-	-	113	109	104	97	89	85	79	74	61	49	41	-	-	-
-	4SD14/16	2"	5.5	7.5	145	-	-	-	130	125	119	111	102	97	90	85	70	56	46	-	-	-
-	4SD14/18	2"	7	10	163	-	-	-	146	140	134	125	114	109	101	96	79	63	52	-	-	-
-	4SD14/20	2"	7.5	10	181	-	-	-	162	156	149	139	127	121	112	106	87	70	58	-	-	-
4SDM18/3	4SD18/3	2"	1.5	2	25	-	-	-	-	24	23	22	21	20	19	19	17	16	15	13	11	7
4SDM18/4	4SD18/4	2"	1.8	2.5	34	-	-	-	-	33	32	30	28	27	26	25	23	21	20	18	14	10
4SDM18/5	4SD18/5	2"	2.2	3	42	-	-	-	-	41	39	37	35	34	32	31	28	26	24	22	18	12
-	4SD18/6	2"	2.6	3.5	51	-	-	-	-	49	47	45	42	41	39	38	34	31	29	27	21	15
-	4SD18/7	2"	3	4	59	-	-	-	-	57	55	52	49	48	46	44	40	36	34	31	25	17
-	4SD18/8	2"	3.7	5	67	-	-	-	-	65	63	59	56	54	52	50	46	42	39	35	29	19
-	4SD18/9	2"	4	5.5	76	-	-	-	-	73	71	67	63	61	58	56	51	47	44	40	32	22
-	4SD18/10	2"	5	7	84	-	-	-	-	81	78	74	70	68	65	63	57	52	49	44	36	24
-	4SD18/11	2"	5.5	7.5	93	-	-	-	-	90	87	82	77	75	71	69	62	57	54	49	39	27
-	4SD18/12	2"	5.5	7.5	101	-	-	-	-	98	94	89	84	81	77	75	68	63	59	53	43	29
-	4SD18/13	2"	7	10	110	-	-	-	-	106	102	97	91	88	84	81	74	68	64	58	46	32
-	4SD18/14	2"	7.5	10	118	-	-	-	-	114	110	104	98	95	91	88	80	73	69	62	50	34



TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

60 Hz n≈3500 l/min

MODEL MODELO MODÈLE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT																	
					GPM 0	7.9	13.2	26.4	39.6	52.9	66.1	71.4	79.3	92.5	105.7	110.1	118.9	132.2	145.4			
					l/min 0	30	50	100	150	200	250	270	300	350	400	417	450	500	550			
					m³/h 0	1.8	3	6	9	12	15	16.2	18	21	24	25	27	30	33			
1-ph	3-ph	inch	kw	hp	H=Head/Altura/Hauteur(m)																	
-	5SD12/4	2"/2.5"	1.5	2	60	61	61	59	54	45	32	26	-	-	-	-	-	-	-			
-	5SD12/5	2"/2.5"	2.2	3	76	76	76	73	68	57	40	32	-	-	-	-	-	-	-			
-	5SD12/6	2"/2.5"	3	4	91	91	91	88	82	67	48	39	-	-	-	-	-	-	-			
-	5SD12/8	2"/2.5"	4	5.5	121	122	121	118	109	90	64	52	-	-	-	-	-	-	-			
-	5SD12/11	2"/2.5"	5.5	7.5	166	167	167	162	150	124	88	71	-	-	-	-	-	-	-			
-	5SD12/14	2"/2.5"	7.5	10	212	213	212	206	191	158	112	90	-	-	-	-	-	-	-			
-	5SD12/18	2"/2.5"	11	15	272	274	273	264	245	203	144	116	-	-	-	-	-	-	-			
-	5SD18/3	2"/2.5"	1.5	2	47	-	48	47	45	42	37	35	32	23	13	-	-	-	-			
-	5SD18/4	2"/2.5"	2.2	3	63	-	64	63	60	57	50	47	42	31	17	-	-	-	-			
-	5SD18/5	2"/2.5"	3	4	79	-	80	78	75	71	62	58	53	39	21	-	-	-	-			
-	5SD18/6	2"/2.5"	4	5.5	94	-	96	94	90	85	75	70	63	46	26	-	-	-	-			
-	5SD18/8	2"/2.5"	5.5	7.5	126	-	127	125	120	113	100	94	85	62	34	-	-	-	-			
-	5SD18/10	2"/2.5"	7.5	10	157	-	159	156	150	141	125	117	106	77	43	-	-	-	-			
-	5SD18/14	2"/2.5"	11	15	220	-	223	219	210	198	175	164	148	108	60	-	-	-	-			
-	5SD25/3	2.5"	2.2	3	46	-	45	44	43	41	39	38	37	34	30	28	25	20	14			
-	5SD25/4	2.5"	3	4	62	-	60	59	57	55	52	51	49	45	40	38	34	27	19			
-	5SD25/5	2.5"	4	5.5	77	-	76	73	71	68	65	63	61	56	50	47	42	34	23			
-	5SD25/6	2.5"	5.5	7.5	92	-	91	88	85	82	79	77	74	68	60	57	51	41	28			
-	5SD25/8	2.5"	7.5	10	123	-	121	118	114	110	105	102	98	90	80	76	68	54	38			
-	5SD25/10	2.5"	11	15	154	-	151	147	142	137	131	128	123	113	100	95	85	68	47			







TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

60 Hz n≈3500 l/min

MODEL MODELO MODÈLE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT															
					GPM	0	13.2	22.0	44.1	66.1	88.1	110.1	118.9	132.2	154.2	176.2	198.2	220.3	242.3	264.3
					l/min	0	50	83	167	250	333	417	450	500	583	667	750	833	917	1000
1-ph	3-ph	inch	kw	hp	m³/h	0	3	5	10	15	20	25	27	30	35	40	45	50	55	60
H=Head/Altura/Hauteur(m)																				
-	6SD20/4	3"/4"	4	5.5	86	86	86	81	74	57	32	15	-	-	-	-	-	-	-	-
-	6SD20/5	3"/4"	5.5	7.5	108	108	108	102	92	72	40	19	-	-	-	-	-	-	-	-
-	6SD20/6	3"/4"	7.5	10	129	129	129	122	111	86	48	23	-	-	-	-	-	-	-	-
-	6SD20/8	3"/4"	9.2	12.5	172	172	171	164	147	116	64	31	-	-	-	-	-	-	-	-
-	6SD20/10	3"/4"	11	15	215	215	214	205	184	144	80	39	-	-	-	-	-	-	-	-
-	6SD20/12	3"/4"	13	17.5	258	258	257	245	221	173	95	46	-	-	-	-	-	-	-	-
-	6SD20/14	3"/4"	15	20	301	301	300	286	258	202	111	54	-	-	-	-	-	-	-	-
-	6SD30/3A	3"/4"	4	5.5	56	-	55	54	52	49	43	39	34	23	8	-	-	-	-	-
-	6SD30/4	3"/4"	5.5	7.5	86	-	85	83	80	75	66	61	53	35	12	-	-	-	-	-
-	6SD30/5	3"/4"	7.5	10	108	-	106	104	100	94	82	76	66	44	16	-	-	-	-	-
-	6SD30/6	3"/4"	9.2	12.5	129	-	127	125	120	112	98	90	79	53	19	-	-	-	-	-
-	6SD30/7	3"/4"	11	15	151	-	148	146	140	131	115	106	92	62	22	-	-	-	-	-
-	6SD30/8	3"/4"	13	17.5	172	-	170	166	160	150	131	121	106	70	25	-	-	-	-	-
-	6SD30/10	3"/4"	15	20	215	-	212	208	200	187	164	151	132	88	31	-	-	-	-	-
-	6SD40/3	3"/4"	7.5	10	63	-	63	60	58	55	53	51	49	45	40	33	24	12	-	-
-	6SD40/4	3"/4"	9.2	12.5	85	-	83	81	77	74	70	68	66	61	53	43	31	15	-	-
-	6SD40/5	3"/4"	11	15	106	-	104	101	96	92	88	86	82	76	66	54	39	19	-	-
-	6SD40/6	3"/4"	13	17.5	127	-	125	121	116	111	105	103	99	91	80	65	47	23	-	-
-	6SD40/7	3"/4"	15	20	148	-	146	141	135	129	123	120	115	106	93	76	55	27	-	-
-	6SD50/3	3"/4"	9.2	12.5	56	-	-	53	51	48	47	46	44	41	38	34	29	25	21	-
-	6SD50/4	3"/4"	11	15	75	-	-	70	67	64	62	61	59	55	51	46	40	34	28	-
-	6SD50/5	3"/4"	13	17.5	93	-	-	88	85	81	77	75	73	68	63	57	50	43	35	-
-	6SD50/6	3"/4"	15	20	112	-	-	106	101	96	92	90	88	82	76	68	60	51	42	-







PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE









PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE





PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE











PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE







PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE






PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE



DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS



MODEL MODELO MODÈLE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)								N.W(kg)			
			P	M		T		D1	ØD2	P	M		T	
				1-ph	3-ph	1-ph	3-ph				1-ph	3-ph	1-ph	3-ph
2SDM0.7/19	-	0.5"/0.75"	621	499	-	1120	-	51	50	1.65	4.3	-	5.95	-
2SDM0.7/23	-	0.5"/0.75"	712	499	-	1121	-	51	50	1.85	4.3	-	6.15	-
2SDM0.7/27	-	0.5"/0.75"	804	499	-	1303	-	51	50	2.05	4.3	-	6.35	-
2.5SDM2/8	-	1"	383	445	-	828	-	66	65	3	6.9	-	9.6	-
2.5SDM2/11	-	1"	463	578	-	1041	-	66	65	3.2	7.6	-	10.4	-
2.5SDM2/16	-	1"	646	787	-	1433	-	66	65	3.7	8.2	-	11.6	-
2.5SDM2/22	-	1"	778	1001	-	1779	-	66	65	4.1	8.9	-	13	-
3SDM2/6	3SD2/6	1"/1.2"	249	308	288	557	537	75	73	1.6	4.8	4	6.4	5.6
3SDM2/9	3SD2/9	1"/1.2"	318	338	308	656	626	75	73	1.9	5.6	4.8	7.5	6.7
3SDM2/13	3SD2/13	1"/1.2"	410	368	338	778	748	75	73	2.2	6.4	5.6	8.6	7.8
3SDM2/17	3SD2/17	1"/1.2"	527	408	368	935	895	75	73	2.6	7.5	6.4	10.1	9
3SDM2/21	3SD2/21	1"/1.2"	618	448	408	1066	1026	75	73	3	8.7	7.5	11.7	10.5
3SDM2/25	3SD2/25	1"/1.2"	710	493	448	1203	1158	75	73	3.4	10	8.7	13.4	12.1
3SDM2/28	3SD2/28	1"/1.2"	779	543	493	1322	1272	75	73	3.7	11.3	10	15	13.7
3SDM2/30	3SD2/30	1"/1.2"	825	543	493	1368	1318	75	73	3.9	11.3	10	15.2	13.9
3SDM3/5	3SD3/5	1"/1.2"/1.5"	324	308	288	632	612	75	73	1.5	4.8	4	6.3	5.5
3SDM3/8	3SD3/8	1"/1.2"/1.5"	402	338	308	740	710	75	73	1.8	5.6	4.8	7.4	6.6
3SDM3/11	3SD3/11	1"/1.2"/1.5"	480	368	338	848	818	75	73	2.1	6.4	5.6	8.5	7.7
3SDM3/14	3SD3/14	1"/1.2"/1.5"	558	408	368	966	926	75	73	2.3	7.5	6.4	9.8	8.7
3SDM3/18	3SD3/18	1"/1.2"/1.5"	686	448	408	1134	1094	75	73	2.7	8.7	7.5	11.4	10.2
3SDM3/21	3SD3/21	1"/1.2"/1.5"	764	493	448	1257	1212	75	73	3	10	8.7	13	11.7
3SDM3/23	3SD3/23	1"/1.2"/1.5"	816	543	493	1359	1309	75	73	3.2	11.3	10	14.5	13.2
3SDM3/25	3SD3/25	1"/1.2"/1.5"	868	543	493	1411	1361	75	73	3.4	11.3	10	14.7	13.4
3SDM4/4	3SD4/4	1.2"/1.5"	319	308	288	627	607	75	73	1.4	4.8	4	6.2	5.4
3SDM4/6	3SD4/6	1.2"/1.5"	382	338	308	720	690	75	73	1.6	5.6	4.8	7.2	6.4
3SDM4/8	3SD4/8	1.2"/1.5"	445	368	338	813	783	75	73	1.8	6.4	5.6	8.2	7.4
3SDM4/10	3SD4/10	1.2"/1.5"	508	408	368	916	876	75	73	2	7.5	6.4	9.5	8.4
3SDM4/13	3SD4/13	1.2"/1.5"	627	448	408	1075	1035	75	73	2.3	8.7	7.5	11	9.8
3SDM4/15	3SD4/15	1.2"/1.5"	690	493	448	1183	1138	75	73	2.5	10	8.7	12.5	11.2
3SDM4/18	3SD4/18	1.2"/1.5"	785	543	493	1328	1278	75	73	2.8	11.3	10	14.1	12.8
3.5SDM2/5	3.5SD2/5	1.2"/1.5"	340	303	303	643	643	85	84	1.9	5.5	5.5	7.4	7.4
3.5SDM2/7	3.5SD2/7	1.2"/1.5"	393	318	303	711	696	85	84	2.2	6.1	5.5	8.3	7.7
3.5SDM2/10	3.5SD2/10	1.2"/1.5"	472	338	318	810	790	85	84	2.7	6.8	6.1	9.5	8.8
3.5SDM2/13	3.5SD2/13	1.2"/1.5"	551	363	338	914	889	85	84	3.2	7.8	6.8	11	10
3.5SDM2/16	3.5SD2/16	1.2"/1.5"	630	388	363	1018	993	85	84	3.7	8.8	7.8	12.5	11.5
3.5SDM2/19	3.5SD2/19	1.2"/1.5"	709	413	388	1122	1097	85	84	4.4	9.9	8.8	14.3	13.2
3.5SDM2/22	3.5SD2/22	1.2"/1.5"	761	438	413	1199	1174	85	84	4.9	10.7	9.9	15.6	14.8
3.5SDM2/25	3.5SD2/25	1.2"/1.5"	865	463	438	1328	1303	85	84	5.4	11.8	10.7	17.2	16.1
3.5SDM4/3	3.5SD4/3	1.2"/1.5"	287	303	303	590	590	85	84	1.6	5.5	5.5	7.1	7.1
3.5SDM4/4	3.5SD4/4	1.2"/1.5"	314	318	303	632	617	85	84	1.8	6.1	5.5	7.9	7.3
3.5SDM4/6	3.5SD4/6	1.2"/1.5"	367	338	318	705	685	85	84	2.1	6.8	6.1	8.9	8.2
3.5SDM4/8	3.5SD4/8	1.2"/1.5"	419	363	338	782	757	85	84	2.4	7.8	6.8	10.2	9.2
3.5SDM4/10	3.5SD4/10	1.2"/1.5"	472	388	363	860	835	85	84	2.7	8.8	7.8	11.5	10.5
3.5SDM4/12	3.5SD4/12	1.2"/1.5"	524	413	388	937	912	85	84	3.1	9.9	8.8	13	11.9
3.5SDM4/14	3.5SD4/14	1.2"/1.5"	577	438	413	1015	990	85	84	3.4	10.7	9.9	14.1	13.3
3.5SDM4/16	3.5SD4/16	1.2"/1.5"	630	463	438	1093	1068	85	84	3.7	11.8	10.7	15.5	14.4
3.5SDM6/3	3.5SD6/3	1.5"	296	318	303	614	599	85	84	1.6	6.1	5.5	7.7	7.1
3.5SDM6/4	3.5SD6/4	1.5"	325	338	318	663	643	85	84	1.8	6.8	6.1	8.6	7.9
3.5SDM6/6	3.5SD6/6	1.5"	383	363	338	746	721	85	84	2.1	7.8	6.8	9.9	8.9
3.5SDM6/8	3.5SD6/8	1.5"	442	388	363	830	805	85	84	2.4	8.8	7.8	11.2	10.2
3.5SDM6/10	3.5SD6/10	1.5"	500	413	388	913	888	85	84	2.7	9.9	8.8	12.6	11.5
3.5SDM6/12	3.5SD6/12	1.5"	558	438	413	996	971	85	84	3.1	10.7	9.9	13.8	13
3.5SDM6/14	3.5SD6/14	1.5"	616	463	438	1079	1054	85	84	3.4	11.8	10.7	15.2	14.1



DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS

MODEL MODELO MODÈLE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)							N.W(kg)				
			P	M		T		D1	ØD2	P	M		T	
				1-ph	3-ph	1-ph	3-ph				1-ph	3-ph	1-ph	3-ph
4SDM2/6	4SD2/6	1.2"/1.5"	370	316	316	686	686	100	95	3	6.7	5.8	9.7	8.8
4SDM2/8	4SD2/8	1.2"/1.5"	418	331	331	749	749	100	95	3.5	7.3	7.3	10.8	10.8
4SDM2/11	4SD2/11	1.2"/1.5"	491	361	346	852	837	100	95	4.2	8.7	8	12.9	12.2
4SDM2/13	4SD2/13	1.2"/1.5"	540	381	361	921	901	100	95	4.7	9.8	8.7	14.5	13.4
4SDM2/15	4SD2/15	1.2"/1.5"	589	401	381	990	970	100	95	5.2	10.3	9.8	15.5	15
4SDM2/18	4SD2/18	1.2"/1.5"	661	426	401	1087	1062	100	95	6	11.7	10.3	17.7	16.3
4SDM2/20	4SD2/20	1.2"/1.5"	742	451	426	1193	1168	100	95	6.5	12.9	11.7	19.4	18.2
4SDM2/24	4SD2/24	1.2"/1.5"	839	492	451	1331	1290	100	95	7.4	15.7	12.9	23.1	20.3
4SDM2/28	4SD2/28	1.2"/1.5"	936	532	492	1468	1428	100	95	8.4	17.7	15.7	26.1	24.1
-	4SD2/33	1.2"/1.5"	1057	-	532	-	1589	100	95	9.7	-	17.7	-	27.4
-	4SD2/37	1.2"/1.5"	1155	-	598	-	1753	100	95	10.7	-	19.8	-	30.5
-	4SD2/41	1.2"/1.5"	1284	-	633	-	1917	100	95	11.6	-	21.4	-	33
-	4SD2/46	1.2"/1.5"	1405	-	673	-	2078	100	95	12.9	-	23.7	-	36.6
4SDM3/5	4SD3/5	1.2"/1.5"	345	316	316	661	661	100	95	2.8	6.7	5.8	9.5	8.6
4SDM3/7	4SD3/7	1.2"/1.5"	395	331	331	726	726	100	95	3.3	7.3	7.3	10.6	10.6
4SDM3/9	4SD3/9	1.2"/1.5"	445	361	346	806	791	100	95	3.8	8.7	8	12.5	11.8
4SDM3/11	4SD3/11	1.2"/1.5"	495	381	361	876	856	100	95	4.3	9.8	8.7	14.1	13
4SDM3/13	4SD3/13	1.2"/1.5"	545	401	381	946	926	100	95	4.8	10.3	9.8	15.1	14.6
4SDM3/15	4SD3/15	1.2"/1.5"	595	426	401	1021	996	100	95	5.3	11.7	10.3	17	15.6
4SDM3/17	4SD3/17	1.2"/1.5"	644	451	426	1095	1070	100	95	5.7	12.9	11.7	18.6	17.4
4SDM3/20	4SD3/20	1.2"/1.5"	750	492	451	1242	1201	100	95	6.5	15.7	12.9	22.2	19.4
4SDM3/24	4SD3/24	1.2"/1.5"	850	532	492	1382	1342	100	95	7.5	17.7	15.7	25.2	23.2
-	4SD3/28	1.2"/1.5"	950	-	532	-	1482	100	95	8.4	-	17.7	-	26.1
-	4SD3/32	1.2"/1.5"	1049	-	598	-	1647	100	95	9.4	-	19.8	-	29.2
-	4SD3/36	1.2"/1.5"	1149	-	633	-	1782	100	95	10.4	-	21.4	-	31.8
-	4SD3/40	1.2"/1.5"	1248	-	673	-	1921	100	95	11.4	-	23.7	-	35.1
4SDM4/4	4SD4/4	1.2"/1.5"	328	316	316	644	644	100	95	2.6	6.7	5.8	9.3	8.4
4SDM4/5	4SD4/5	1.2"/1.5"	355	331	331	686	686	100	95	2.8	7.3	7.3	10.1	10.1
4SDM4/7	4SD4/7	1.2"/1.5"	409	361	346	770	755	100	95	3.4	8.7	8	12.1	11.4
4SDM4/10	4SD4/10	1.2"/1.5"	490	401	381	891	871	100	95	4.2	10.3	9.8	14.5	14
4SDM4/13	4SD4/13	1.2"/1.5"	571	451	426	1022	997	100	95	5	12.9	11.7	17.9	16.7
4SDM4/15	4SD4/15	1.2"/1.5"	614	492	451	1106	1065	100	95	5.4	15.7	12.9	21.1	18.3
4SDM4/18	4SD4/18	1.2"/1.5"	737	532	492	1269	1229	100	95	6.2	17.7	15.7	23.9	21.9
-	4SD4/21	1.2"/1.5"	817	-	532	-	1349	100	95	7	-	17.7	-	24.7
-	4SD4/24	1.2"/1.5"	898	-	598	-	1496	100	95	7.8	-	19.8	-	27.6
-	4SD4/28	1.2"/1.5"	1006	-	633	-	1639	100	95	8.8	-	21.4	-	30.2
-	4SD4/31	1.2"/1.5"	1086	-	673	-	1759	100	95	9.5	-	23.7	-	33.2
-	4SD4/35	1.2"/1.5"	1194	-	726	-	1920	100	95	10.6	-	25.5	-	36.1
-	4SD4/39	1.2"/1.5"	1333	-	776	-	2109	100	95	11.6	-	28	-	39.6
4SDM5/3	4SD5/3	1.2"/1.5"/2"	309	316	316	625	625	100	95	2.4	6.7	5.8	9.1	8.2
4SDM5/4	4SD5/4	1.2"/1.5"/2"	338	331	331	669	669	100	95	2.6	7.3	7.3	9.9	9.9
4SDM5/6	4SD5/6	1.2"/1.5"/2"	397	361	346	758	743	100	95	3.2	8.7	8	11.9	11.2
4SDM5/8	4SD5/8	1.2"/1.5"/2"	455	401	381	856	836	100	95	3.7	10.3	9.8	14	13.5
4SDM5/11	4SD5/11	1.2"/1.5"/2"	543	451	426	994	969	100	95	4.5	12.9	11.7	17.4	16.2
4SDM5/13	4SD5/13	1.2"/1.5"/2"	601	492	451	1093	1052	100	95	5.1	15.7	12.9	20.8	18
4SDM5/16	4SD5/16	1.2"/1.5"/2"	689	532	492	1221	1181	100	95	5.9	17.7	15.7	23.6	21.6
-	4SD5/19	1.2"/1.5"/2"	808	-	532	-	1340	100	95	6.7	-	17.7	-	24.4
-	4SD5/22	1.2"/1.5"/2"	898	-	598	-	1496	100	95	7.5	-	19.8	-	27.3
-	4SD5/25	1.2"/1.5"/2"	983	-	633	-	1616	100	95	8.3	-	21.4	-	29.7
-	4SD5/28	1.2"/1.5"/2"	1071	-	673	-	1744	100	95	9.1	-	23.7	-	32.8
-	4SD5/31	1.2"/1.5"/2"	1159	-	726	-	1885	100	95	10	-	25.5	-	35.5
-	4SD5/35	1.2"/1.5"/2"	1307	-	776	-	2083	100	95	11	-	28	-	39



DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS

MODEL MODELO MODÈLE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)							N.W(kg)				
			P	M		T		D1	ØD2	P	M		T	
				1-ph	3-ph	1-ph	3-ph				1-ph	3-ph	1-ph	3-ph
4SDM7/3	4SD7/3	1.2"/1.5"/2"	331	331	331	662	662	100	95	3.1	7.3	7.3	10.4	10.4
4SDM7/4	4SD7/4	1.2"/1.5"/2"	366	361	346	727	712	100	95	3.4	8.7	8	12.1	11.4
4SDM7/5	4SD7/5	1.2"/1.5"/2"	401	381	361	782	762	100	95	3.7	9.8	8.7	13.5	12.4
4SDM7/6	4SD7/6	1.2"/1.5"/2"	435	401	381	836	816	100	95	4	10.3	9.8	14.3	13.8
4SDM7/7	4SD7/7	1.2"/1.5"/2"	470	426	401	896	871	100	95	4.3	11.7	10.3	16	14.6
4SDM7/9	4SD7/9	1.2"/1.5"/2"	539	451	426	990	965	100	95	4.9	12.9	11.7	17.8	16.6
4SDM7/11	4SD7/11	1.2"/1.5"/2"	608	492	451	1100	1059	100	95	5.4	15.7	12.9	21.1	18.3
4SDM7/13	4SD7/13	1.2"/1.5"/2"	677	532	492	1209	1169	100	95	6	17.7	15.7	23.7	21.7
-	4SD7/15	1.2"/1.5"/2"	777	-	532	-	1309	100	95	6.6	-	17.7	-	24.3
-	4SD7/17	1.2"/1.5"/2"	846	-	598	-	1444	100	95	7.1	-	19.8	-	26.9
-	4SD7/19	1.2"/1.5"/2"	915	-	633	-	1548	100	95	7.7	-	21.4	-	29.1
-	4SD7/22	1.2"/1.5"/2"	1019	-	673	-	1692	100	95	8.5	-	23.7	-	32.2
-	4SD7/25	1.2"/1.5"/2"	1122	-	726	-	1848	100	95	9.4	-	25.5	-	34.9
-	4SD7/28	1.2"/1.5"/2"	1226	-	776	-	2002	100	95	10.2	-	28	-	38.2
-	4SD7/31	1.2"/1.5"/2"	1360	-	836	-	2196	100	95	11.1	-	30	-	41.1
-	4SD7/34	1.2"/1.5"/2"	1463	-	896	-	2359	100	95	11.9	-	34	-	45.9
4SDM9/3	4SD9/3	1.2"/1.5"/2"	342	361	346	703	688	100	95	3.2	8.7	8	11.9	11.2
4SDM9/4	4SD9/4	1.2"/1.5"/2"	380	381	361	761	741	100	95	3.5	9.8	8.7	13.3	12.2
4SDM9/5	4SD9/5	1.2"/1.5"/2"	418	401	381	819	799	100	95	3.8	10.3	9.8	14.1	13.6
4SDM9/6	4SD9/6	1.2"/1.5"/2"	456	426	401	882	857	100	95	4.1	11.7	10.3	15.8	14.4
4SDM9/7	4SD9/7	1.2"/1.5"/2"	495	451	426	946	921	100	95	4.4	12.9	11.7	17.3	16.1
4SDM9/9	4SD9/9	1.2"/1.5"/2"	571	492	451	1063	1022	100	95	4.9	15.7	12.9	20.6	17.8
4SDM9/11	4SD9/11	1.2"/1.5"/2"	679	532	492	1211	1171	100	95	5.5	17.7	15.7	23.2	21.2
-	4SD9/12	1.2"/1.5"/2"	717	-	532	-	1249	100	95	5.8	-	17.7	-	23.5
-	4SD9/14	1.2"/1.5"/2"	793	-	598	-	1391	100	95	6.4	-	19.8	-	26.2
-	4SD9/16	1.2"/1.5"/2"	869	-	633	-	1502	100	95	7	-	21.4	-	28.4
-	4SD9/18	1.2"/1.5"/2"	945	-	673	-	1618	100	95	7.6	-	23.7	-	31.3
-	4SD9/20	1.2"/1.5"/2"	1021	-	726	-	1747	100	95	8.2	-	25.5	-	33.7
-	4SD9/22	1.2"/1.5"/2"	1098	-	776	-	1874	100	95	8.8	-	28	-	36.8
-	4SD9/25	1.2"/1.5"/2"	1212	-	836	-	2048	100	95	9.7	-	30	-	39.7
-	4SD9/27	1.2"/1.5"/2"	1320	-	896	-	2216	100	95	10.3	-	34	-	44.3



DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS

MODEL MODELO MODÈLE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)							N.W(kg)				
			P	M		T		D1	ØD2	P	M		T	
				1-ph	3-ph	1-ph	3-ph				1-ph	3-ph	1-ph	3-ph
4SDM11/3	4SD11/3	2"	344	381	361	725	705	100	95	3.2	9.8	8.7	13	11.9
4SDM11/4	4SD11/4	2"	380	401	381	781	761	100	95	3.5	10.3	9.8	13.8	13.3
4SDM11/5	4SD11/5	2"	416	451	426	867	842	100	95	3.8	12.9	11.7	16.7	15.5
4SDM11/6	4SD11/6	2"	456	492	451	948	907	100	95	4.1	15.7	12.9	19.8	17
4SDM11/7	4SD11/7	2"	533	532	492	1065	1025	100	95	4.6	17.7	15.7	22.3	20.3
4SDM11/8	4SD11/8	2"	533	532	492	1065	1025	100	95	4.6	17.7	15.7	22.3	20.3
-	4SD11/9	2"	571	-	532	-	1103	100	95	4.9	-	17.7	-	22.6
-	4SD11/10	2"	609	-	598	-	1207	100	95	5.2	-	19.8	-	25
-	4SD11/11	2"	647	-	633	-	1280	100	95	5.5	-	21.4	-	26.9
-	4SD11/13	2"	755	-	673	-	1428	100	95	6.1	-	23.7	-	29.8
-	4SD11/15	2"	831	-	726	-	1557	100	95	6.7	-	25.5	-	32.2
-	4SD11/17	2"	907	-	776	-	1683	100	95	7.3	-	28	-	35.3
-	4SD11/20	2"	1021	-	836	-	1857	100	95	8.2	-	30	-	38.2
-	4SD11/22	2"	1098	-	896	-	1994	100	95	8.8	-	34	-	42.8
4SDM14/3	4SD14/3	2"	397	401	381	798	778	100	95	3.9	10.3	9.8	14.2	13.7
4SDM14/4	4SD14/4	2"	453	451	426	904	879	100	95	4.3	12.9	11.7	17.2	16
4SDM14/5	4SD14/5	2"	509	492	451	1001	960	100	95	4.7	15.7	12.9	20.4	17.6
4SDM14/6	4SD14/6	2"	564	532	492	1096	1056	100	95	5.1	17.7	15.7	22.8	20.8
4SDM14/7	4SD14/7	2"	620	532	492	1152	1112	100	95	5.5	17.7	15.7	23.2	21.2
-	4SD14/8	2"	676	-	532	-	1208	100	95	5.8	-	17.7	-	23.5
-	4SD14/9	2"	764	-	598	-	1362	100	95	6.2	-	19.8	-	26
-	4SD14/10	2"	820	-	633	-	1453	100	95	6.6	-	21.4	-	28
-	4SD14/12	2"	931	-	673	-	1604	100	95	7.4	-	23.7	-	31.1
-	4SD14/14	2"	1043	-	726	-	1769	100	95	8.1	-	25.5	-	33.6
-	4SD14/16	2"	1155	-	776	-	1931	100	95	8.9	-	28	-	36.9
-	4SD14/18	2"	1298	-	836	-	2134	100	95	9.6	-	30	-	39.6
-	4SD14/20	2"	1410	-	896	-	2306	100	95	10.4	-	34	-	44.4



DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS

MODEL MODELO MODÈLE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)							N.W(kg)				
			P	M		T		D1	ØD2	P	M		T	
				1-ph	3-ph	1-ph	3-ph				1-ph	3-ph	1-ph	3-ph
4SDM18/3	4SD18/3	2"	428	451	426	879	854	100	95	4.2	12.9	11.7	17.1	15.9
4SDM18/4	4SD18/4	2"	497	492	451	989	948	100	95	4.6	15.7	12.9	20.3	17.5
4SDM18/5	4SD18/5	2"	565	532	492	1097	1057	100	95	5.1	17.7	15.7	22.8	20.8
-	4SD18/6	2"	633	-	532	-	1165	100	95	5.5	-	17.7	-	23.2
-	4SD18/7	2"	733	-	598	-	1331	100	95	6	-	19.8	-	25.8
-	4SD18/8	2"	802	-	633	-	1435	100	95	6.4	-	21.4	-	27.8
-	4SD18/9	2"	870	-	673	-	1543	100	95	6.9	-	23.7	-	30.6
-	4SD18/10	2"	939	-	726	-	1665	100	95	7.4	-	25.5	-	32.9
-	4SD18/11	2"	1006	-	776	-	1782	100	95	7.8	-	28	-	35.8
-	4SD18/12	2"	1076	-	776	-	1852	100	95	8.2	-	28	-	36.2
-	4SD18/13	2"	1144	-	836	-	1980	100	95	8.7	-	30	-	38.7
-	4SD18/14	2"	1212	-	896	-	2108	100	95	9.1	-	34	-	43.1
-	5SD12/4	2"/2.5"	434	-	351	-	784	125	123	4.1	-	13.6	-	18
-	5SD12/5	2"/2.5"	467	-	368	-	835	125	123	4.4	-	15.2	-	19.5
-	5SD12/6	2"/2.5"	533	-	402	-	937	125	123	5	-	18.4	-	22.5
-	5SD12/8	2"/2.5"	599	-	436	-	1039	125	123	5.6	-	22	-	24
-	5SD12/11	2"/2.5"	632	-	453	-	1090	125	123	5.9	-	23.6	-	25.5
-	5SD12/14	2"/2.5"	797	-	538	-	1345	125	123	7.4	-	36.6	-	33
-	5SD12/18	2"/2.5"	929	-	606	-	1549	125	123	8.6	-	43	-	39
-	5SD18/3	2"/2.5"	417	-	351	-	768	125	123	4.1	-	13.2	-	17.3
-	5SD18/4	2"/2.5"	455	-	386	-	841	125	123	4.5	-	16.4	-	20.9
-	5SD18/5	2"/2.5"	493	-	421	-	914	125	123	4.9	-	19.6	-	24.5
-	5SD18/6	2"/2.5"	531	-	459	-	987	125	123	5.3	-	22.8	-	28.1
-	5SD18/8	2"/2.5"	607	-	535	-	1133	125	123	6.1	-	29.2	-	35.3
-	5SD18/10	2"/2.5"	683	-	611	-	1279	125	123	6.5	-	35.6	-	42.5
-	5SD18/14	2"/2.5"	835	-	763	-	1570	125	123	7.7	-	48.4	-	56.9
-	5SD25/3	2.5"	440	-	381	-	821	125	123	4.8	-	16.9	-	21.7
-	5SD25/4	2.5"	486	-	421	-	907	125	123	5.2	-	19.6	-	24.8
-	5SD25/5	2.5"	532	-	462	-	993	125	123	5.6	-	22.3	-	27.9
-	5SD25/6	2.5"	578	-	502	-	1079	125	123	6	-	25	-	31
-	5SD25/8	2.5"	670	-	582	-	1251	125	123	6.8	-	30.4	-	37.2
-	5SD25/10	2.5"	1038	-	902	-	1939	125	123	10	-	52	-	62
-	6SD20/4	3"/4"	415	-	528	-	943	137	135	7	-	25.1	-	32.1
-	6SD20/5	3"/4"	555	-	578	-	1133	137	135	7.8	-	28.9	-	36.7
-	6SD20/6	3"/4"	595	-	638	-	1233	137	135	8.6	-	33.9	-	42.5
-	6SD20/8	3"/4"	675	-	698	-	1373	137	135	10.1	-	40.2	-	50.3
-	6SD20/10	3"/4"	755	-	763	-	1518	137	135	11.7	-	46.5	-	58.2
-	6SD20/12	3"/4"	835	-	823	-	1658	137	135	13.2	-	53.5	-	66.7
-	6SD20/14	3"/4"	915	-	888	-	1803	137	135	14.8	-	60.5	-	75.3
-	6SD30/3A	3"/4"	495	-	528	-	1023	137	135	6.8	-	25.1	-	31.9
-	6SD30/4	3"/4"	543	-	578	-	1121	137	135	7.5	-	28.9	-	36.4
-	6SD30/5	3"/4"	590	-	638	-	1228	137	135	8.3	-	33.9	-	42.2
-	6SD30/6	3"/4"	638	-	698	-	1336	137	135	9.1	-	40.2	-	49.3
-	6SD30/7	3"/4"	685	-	763	-	1448	137	135	9.9	-	46.5	-	56.4
-	6SD30/8	3"/4"	734	-	823	-	1557	137	135	10.6	-	53.5	-	64.1
-	6SD30/10	3"/4"	827	-	888	-	1715	137	135	12.1	-	60.5	-	72.6
-	6SD40/3	3"/4"	528	-	638	-	1166	137	135	7.1	-	33.9	-	41
-	6SD40/4	3"/4"	587	-	698	-	1285	137	135	8	-	40.2	-	48.2
-	6SD40/5	3"/4"	645	-	763	-	1408	137	135	8.8	-	46.5	-	55.3
-	6SD40/6	3"/4"	703	-	823	-	1526	137	135	9.7	-	53.5	-	63.2
-	6SD40/7	3"/4"	762	-	888	-	1650	137	135	10.6	-	60.5	-	71.1
-	6SD50/3	3"/4"	561	-	698	-	1259	137	135	7.4	-	40.2	-	47.6
-	6SD50/4	3"/4"	630	-	763	-	1393	137	135	8.4	-	46.5	-	54.9
-	6SD50/5	3"/4"	700	-	823	-	1523	137	135	9.4	-	53.5	-	62.9
-	6SD50/6	3"/4"	769	-	888	-	1657	137	135	10.4	-	60.5	-	70.9